



FAMUSA

2025

CATÁLOGO

Distribuidor autorizado




A yellow outline of a lightning bolt, pointing towards the top right, located in the upper left corner of the image.

BPA-520 Watts	... 3
BPA-580/595 Watts	... 4
BPA-650/670 Watts	... 5
BPA-710/730 Watts	... 6

A yellow outline of a lightning bolt, pointing towards the top right, located at the bottom left of the text.

Panel es Solares



BPA-520w




Ultraligero y flexible
7 Kg



Instalación rápida
Se instala con Silicona





Seguridad
IP 68 Rallado



Durable
IEC 61215:2016 y
UL61730 (EE.UU)

Más Liviano, Flexible & Fácil de instalar





BPA-580/595w



Tecnología de
puerta principal
múltiple



Calidad de carga
superior



Baja atenuación
larga garantía



Bajo costo BOS y
KWH



Módulo alto
eficiencia de
conversión





Excelente
rendimiento con
poca luz



Reducir el efecto
de las manchas
de calor



Más alto
bifacialmente



BPA-650/670w



Menos desajuste
para obtener más
potencia



Menor pérdida de
potencia al minimizar el
impacto del sombreado



Carga de viento de
2400 Pa y carga de
nieve de 5400 Pa




Opción ideal para
proyectos a escala
comercial



Rendimiento
competitivo con
poca luz

PVEL

Fiabilidad probada a
Arena, ácido, sal,
granizo



BPA-710/730w



Menos desajuste
para obtener más
potencia



Menor pérdida de
potencia al minimizar el
impacto del sombreado



Carga de viento de
2400 Pa y carga de
nieve de 5400 Pa



Opción ideal para
proyectos a escala
comercial



Rendimiento
competitivo con
poca luz

PVEL

Fiabilidad probada a
Arena, ácido, sal,
granizo